

[illegible]

配合割合（％）

日	10日（金）		16日（木）		17日（金）		17日（金）		23日（木）		24日（金）		27日（月）		28日（火）	
南地区	NO16.		NO1.		NO19.		NO19.		NO10.		NO17.		NO14.		NO6.	
R7.10	ミニゼリー（りんご）		肉団子		いり卵		厚揚げ（2g）		厚揚げ（10g）		ダイスゼリー（梨）		おから（乾燥）		大豆入り小魚（中のみ）	
	異性化液糖	18.33	鶏肉	50.2	鶏卵	71.35	豆乳	89.4	豆乳	90.5	なし果汁	24	大豆	100	大豆	49.16
	りんご果肉	12	豚肉	7.3	植物油脂	3.26	でん粉	2.7	デキストリン	1.8	果糖ぶどう糖液糖	16	消泡剤製剤	Φ	かたくちいわし	34.9
	りんご濃縮果汁	3.6	たまねぎ	22	食塩	0.29	ぶどう糖	0.3	でん粉	1.4	砂糖	6			砂糖	14.08
	還元水あめ	3.33	つなぎ（でん粉）	7.3	加工デンプン	4.76	揚げ油	-	ぶどう糖	0.2	水	51.5			しょうゆ	0.76
	砂糖	1.67	つなぎ	0.5	酸味料		（植物油脂）		揚げ油	-	増粘多糖類	1.3			ごま	0.5
	酸味料	0.46	（粉末状植物性たん白）		乳酸ナトリウム	2.85	トレハロース	1.8	（植物性油脂）		乳酸Ca	0.5			澱粉分解物	0.36
	（クエン酸、クエン酸Na）		還元水あめ	4.7	クエン酸	0.14	豆腐用凝固剤	0.5	豆腐用凝固剤	0.7	香料	0.3			食塩	0.14
	ゲル化剤	0.4	食塩	0.5	増粘剤		水	5.3	水	5.4	酸味料	0.2			青粉	0.1
	pH調整剤	0.3	チキンオイル	0.2	プルラン	0.34					ドロマイト	0.2				
	クエン酸第一鉄ナトリウム	0.103	香辛料	Φ	着色料											
	香料	0.1	揚げ油（大豆油）	Φ	カロチン色素	0.01										
	酸化防止剤	0.05	水	6.9	アナトー色素	0.01										
	消泡剤	0.03	ドロマイト	0.4	水	16.99										
	水	59.627	ピロリン酸鉄	Φ												
			焼成Ca	Φ												

[illegible]